

XF

JAGUAR

XF SALOON - TECHNICAL SPECIFICATION

POWERTRAIN	D200 MHEV
Transmission	Automatic
Driveline	RWD
Maximum power (PS/kW/rpm)	204/150/3,750-4,000
Maximum torque (Nm/rpm)	430/1,750-2,500
Capacity (cc)	1,998
No. of cylinders/Valves per cylinder	4/4
Cylinder layout	Inline
Bore/stroke (mm)	83/92.3
Compression ratio (:1)	16.5 +/- 0.5
PERFORMANCE	
Acceleration (secs) 0-60mph (0-100 km/h)	7.1 (7.6)
Maximum speed mph (km/h)	146 (235)
BRAKES	
Front type	Single Piston Sliding Caliper, Vented Disc
Front diameter (mm)	325
Rear type	Single Piston Sliding Caliper, Solid Disc
Rear diameter (mm)	325
Park Brake	iEPB, motor on caliper

Some features on images may vary between optional and standard for different model years and due to the impact of Covid-19, many of our images have not been updated to reflect 23/24 model year specifications. Please refer to the car configurator and additionally consult your local Retailer for detailed 23/24 model year specifications and do not base an order on website imagery alone. Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice.

XF SALOON - TECHNICAL SPECIFICATION

WEIGHTS (kg)*			D200 MHEV
Unladen weight (EU)**			1,810
Unladen weight (DIN)†			1,735
Gross Vehicle Weight (GVW)			2,350
TOWING (kg)			
Unbraked trailer			750
Maximum towing			2,000
Maximum coupling point (nose weight)			100
Maximum vehicle and trailer combination			4,350
ROOF CARRYING (kg)			
Maximum roof load (including cross bars)			75
FUEL ECONOMY			
Fuel tank capacity - useable litres			68
Diesel/Gasoline Particulate Filter (DPF/GPF)			■
WLTP**			
WLTP Consumption	Low	mpg (l/100km)	43.5 - 40.9 (6.5 - 6.9)
	Medium	mpg (l/100km)	54.3 - 48.7 (5.2 - 5.8)
	High	mpg (l/100km)	67.3 - 58.9 (4.2 - 4.8)
	Extra High	mpg (l/100km)	57.6 - 50.4 (4.9 - 5.6)
	Combined	mpg (l/100km)	56.5 - 51.4 (5.0 - 5.5)
WLTP CO ₂ Emissions	Combined	(g/km)	130 - 145

■ Standard.

*Weights reflect vehicles to standard specifications. Optional extras increase weight. **Includes a 75kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

**The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ.

CO₂ and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

XF SALOON - TECHNICAL SPECIFICATION

POWERTRAIN	P250	P300
Transmission	Automatic	Automatic
Driveline	RWD	AWD
Maximum power (PS/kW/rpm)	250/184/5,500	300/221/5,500
Maximum torque (Nm/rpm)	365/1,300-4,500	400/1,500-4,500
Capacity (cc)	1,998	1,998
No. of cylinders/Valves per cylinder	4/4	4/4
Cylinder layout	Inline	Inline
Bore/stroke (mm)	83/92.3	83/92.3
Compression ratio (:1)	10.5+/-0.5	9.5+/-0.5
PERFORMANCE		
Acceleration (secs) 0-60mph (0-100 km/h)	6.5 (6.9)	5.8 (6.1)
Maximum speed mph (km/h)	155 (250)	155 (250)
BRAKES		
Front type	Single Piston Sliding Caliper, Vented Disc	
Front diameter (mm)	350	350
Rear type	Single Piston Sliding Caliper, Solid Disc	
Rear diameter (mm)	325	325
Park Brake	iEPB, motor on caliper	

XF SALOON - TECHNICAL SPECIFICATION

WEIGHTS (kg)*			P250	P300
Unladen weight (EU)**			1,735	1,819
Unladen weight (DIN)†			1,660	1,744
Gross Vehicle Weight (GVW)			2,290	2,370
TOWING (kg)				
Unbraked trailer			750	750
Maximum towing			1,900	1,900
Maximum coupling point (nose weight)			100	100
Maximum vehicle and trailer combination			4,190	4,270
ROOF CARRYING (kg)				
Maximum roof load (including cross bars)			75	75
FUEL ECONOMY				
Fuel tank capacity - useable litres			74	74
Diesel/Gasoline Particulate Filter (DPF/GPF)			■	■
WLTP^{††}				
WLTP Consumption	Low	mpg (l/100km)	24.8 - 23.7 (11.4 - 11.9)	23.5 - 22.6 (12.0 - 12.5)
	Medium	mpg (l/100km)	35.8 - 33.2 (7.9 - 8.5)	32.8 - 31.0 (8.6 - 9.1)
	High	mpg (l/100km)	42.2 - 39.2 (6.7 - 7.2)	38.7 - 36.7 (7.3 - 7.7)
	Extra High	mpg (l/100km)	39.2 - 35.3 (7.2 - 8.0)	36.2 - 33.2 (7.8 - 8.5)
	Combined	mpg (l/100km)	36.7 - 33.6 (7.7 - 8.4)	33.6 - 31.7 (8.4 - 8.9)
WLTP CO ₂ Emissions	Combined	(g/km)	177 - 191	191 - 203

■ Standard.

*Weights reflect vehicles to standard specifications. Optional extras increase weight. **Includes a 75kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ.

CO₂ and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

XF SPORTBRAKE - TECHNICAL SPECIFICATION

POWERTRAIN	D200 MHEV
Transmission	Automatic
Driveline	RWD
Maximum power (PS/kW/rpm)	204/150/3,750-4,000
Maximum torque (Nm/rpm)	430/1,750-2,500
Capacity (cc)	1,998
No. of cylinders/Valves per cylinder	4/4
Cylinder layout	Inline
Bore/stroke (mm)	83/92.3
Compression ratio (:1)	16.5+/-0.5
PERFORMANCE	
Acceleration (secs) 0-60mph (0-100 km/h)	7.3 (7.8)
Maximum speed mph (km/h)	143 (230)
BRAKES	
Front type	Single Piston Sliding Caliper, Vented Disc
Front diameter (mm)	325
Rear type	Single Piston Sliding Caliper, Solid Disc
Rear diameter (mm)	325
Park Brake	iEPB, motor on caliper

XF SPORTBRAKE - TECHNICAL SPECIFICATION

WEIGHTS (kg)*			D200 MHEV
Unladen weight (EU)**			1,870
Unladen weight (DIN)†			1,795
Gross Vehicle Weight (GVW)			2,390
TOWING (kg)			
Unbraked trailer			750
Maximum towing			2,000
Maximum coupling point (nose weight)			100
Maximum vehicle and trailer combination			4,390
ROOF CARRYING (kg)			
Maximum roof load (including cross bars)			75
FUEL ECONOMY			
Fuel tank capacity - useable litres			68
Diesel/Gasoline Particulate Filter (DPF/GPF)			■
WLTP^{††}			
WLTP Consumption	Low	mpg (l/100km)	42.8 - 40.9 (6.6 - 6.9)
	Medium	mpg (l/100km)	52.3 - 47.9 (5.4 - 5.9)
	High	mpg (l/100km)	62.8 - 56.5 (4.5 - 5.0)
	Extra High	mpg (l/100km)	53.3 - 48.7 (5.3 - 5.8)
	Combined	mpg (l/100km)	54.3 - 49.6 (5.2 - 5.7)
WLTP CO ₂ Emissions	Combined	(g/km)	137 - 150

■ Standard.

*Weights reflect vehicles to standard specifications. Optional extras increase weight. **Includes a 75kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ.

CO₂ and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

XF SPORTBRAKE - TECHNICAL SPECIFICATION

POWERTRAIN	P250	P300
Transmission	Automatic	Automatic
Driveline	RWD	AWD
Maximum power (PS/kW/rpm)	250/184/5,500	300/221/5,500
Maximum torque (Nm/rpm)	365/1,300-4,500	400/1,500-4,500
Capacity (cc)	1,998	1,998
No. of cylinders/Valves per cylinder	4/4	4/4
Cylinder layout	Inline	Inline
Bore/stroke (mm)	83/92.3	83/92.3
Compression ratio (:1)	10.5+/-0.5	9.5+/-0.5
PERFORMANCE		
Acceleration (secs) 0-60mph (0-100 km/h)	6.7 (7.1)	5.9 (6.2)
Maximum speed mph (km/h)	150 (241)	155 (250)
BRAKES		
Front type	Single Piston Sliding Caliper, Vented Disc	
Front diameter (mm)	350	350
Rear type	Single Piston Sliding Caliper, Solid Disc	
Rear diameter (mm)	325	325
Park Brake	iEPB, motor on caliper	

XF SPORTBRAKE - TECHNICAL SPECIFICATION

WEIGHTS (kg)*			P250	P300
Unladen weight (EU)**			1,801	1,880
Unladen weight (DIN)†			1,726	1,805
Gross Vehicle Weight (GVW)			2,330	2,400
TOWING (kg)				
Unbraked trailer			750	750
Maximum towing			1,900	1,900
Maximum coupling point (nose weight)			100	100
Maximum vehicle and trailer combination			4,230	4,300
ROOF CARRYING (kg)				
Maximum roof load (including cross bars)			75	75
FUEL ECONOMY				
Fuel tank capacity - useable litres			74	74
Diesel/Gasoline Particulate Filter (DPF/GPF)			■	■
WLTP^{††}				
WLTP Consumption	Low	mpg (l/100km)	24.4 - 23.5 (11.6 - 12.0)	23.2 - 22.4 (12.2 - 12.6)
	Medium	mpg (l/100km)	34.9 - 32.8 (8.1 - 8.6)	32.1 - 30.7 (8.8 - 9.2)
	High	mpg (l/100km)	40.9 - 38.2 (6.9 - 7.4)	37.7 - 36.2 (7.5 - 7.8)
	Extra High	mpg (l/100km)	37.2 - 34.0 (7.6 - 8.3)	34.4 - 32.5 (8.2 - 8.7)
	Combined	mpg (l/100km)	35.3 - 32.8 (8.0 - 8.6)	32.8 - 31.0 (8.6 - 9.1)
WLTP CO ₂ Emissions	Combined	(g/km)	183 - 196	197 - 207

■ Standard.

*Weights reflect vehicles to standard specifications. Optional extras increase weight. **Includes a 75kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

††The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ.

CO₂ and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

XF SALOON - DIMENSIONS

Vehicle Height - 1,456 mm

Headroom

Maximum headroom with/without
Panoramic roof fitted

Front headroom 953/991 mm

Rear headroom 970/970 mm

Legroom

Maximum front legroom 1,054 mm

Maximum rear legroom 957 mm

Loadspace Capacity*

Height 344 mm, Width 1,203 mm

Loadspace width between arches 791 mm

Maximum loadspace volume behind first row

Dry** 1,128 litres (1,120 on MHEV)

Wet† 1,484 litres (1,474 on MHEV)

Maximum loadspace volume behind second row

Dry** 344 litres (337 on MHEV)

Wet† 459 litres (448 on MHEV)

Turning Circle

Kerb-to-kerb 12.02 m

Wall-to-wall 12.40 m

Turns lock-to-lock 2.6



*Rear loadspace capacity is reduced on MHEV models. **Dry: Volume as measured with VDA-compliant solid blocks (200 mm x 50 mm x 100 mm).

†Wet: Volume as measured by simulating the loadspace filled with liquid.

Dimensions were measured with vehicle at unladen weight.

Vehicles shown are from the Jaguar global range. Specifications, options and availability may vary between markets and should be verified with your local Jaguar retailer.

XF SPORTBRAKE - DIMENSIONS

Vehicle Height - 1,494 mm

Headroom

Maximum headroom with/without
Panoramic roof fitted

Front headroom 989/991 mm

Rear headroom 991/994 mm

Legroom

Maximum front legroom 1,054 mm

Maximum rear legroom 957 mm

Loadspace Capacity*

Height 742 mm, Width 1,089 mm

Loadspace width between arches 1,058 mm

Maximum loadspace volume behind first row

Dry** 1,361 litres (1,342 on MHEV)

Wet† 1,724 litres (1,695 on MHEV)

Maximum loadspace volume behind second row

Dry** 582 litres (563 on MHEV)


Wet† 745 litres (716 on MHEV)

Turning Circle

Kerb-to-kerb 12.02 m

Wall-to-wall 12.40 m

Turns lock-to-lock 2.6



*Rear loadspace capacity is reduced on MHEV models. **Dry: Volume as measured with VDA-compliant solid blocks (200 mm x 50 mm x 100 mm).

†Wet: Volume as measured by simulating the loadspace filled with liquid.

Dimensions were measured with vehicle at unladen weight.

Vehicles shown are from the Jaguar global range. Specifications, options and availability may vary between markets and should be verified with your local Jaguar retailer.