

F-TYPE

JAGUAR

TECHNICAL SPECIFICATION  
OCTOBER 2022

# F-TYPE COUPÉ - TECHNICAL SPECIFICATION

<b>POWERTRAIN</b>	<b>P300</b>	<b>P450</b>	<b>P450</b>	<b>P575</b>
Transmission	Automatic		Automatic	Automatic
Driveline: All Wheel Drive (AWD) or Rear Wheel Drive (RWD)	RWD	RWD	AWD	AWD
Maximum power (PS/kW/rpm)	300/221/5,500	450/331/6,000	450/331/6,000	575/423/6,500
Maximum torque (Nm/rpm)	400/1,500-4,500	580/2,500-5,000	580/2,500-5,000	700/3,500-5,000
Capacity (cc)	1,997	5,000	5,000	5,000
No. of cylinders/Valves per cylinder	4/4	8/4	8/4	8/4
Cylinder layout	Inline	Vee	Vee	Vee
Bore/stroke (mm)	83/92.3	92.5/93	92.5/93	92.5/93
Compression ratio (:1)	9.5 +/- 0.5	9.5	9.5	9.5
<b>PERFORMANCE</b>				
Acceleration (secs) 0-60mph (0-100km/h)	5.6 (5.9)	4.4 (4.6)	4.4 (4.6)	3.5 (3.7)
Acceleration (secs) 50-75mph (80-120km/h)	4.0 (4.0)	2.9 (2.9)	3.0 (3.0)	2.3 (2.3)
Maximum speed mph (km/h)	155 (250)	177 (285)	177 (285)	186 (300)
<b>WEIGHTS (kg)*</b>				
Unladen weight (EU)**	1,628	1,781	1,855	1,855
Unladen weight (DIN)†	1,553	1,706	1,780	1,780
Gross Vehicle Weight (GVW)	1,925	2,050	2,150	2,150

\*Weights reflect vehicles to standard specifications. Optional extras increase weight. \*\*Includes a 75 kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

Some features on images may vary between optional and standard for different model years and due to the impact of Covid-19, many of our images have not been updated to reflect 24MY specifications. Please refer to the car configurator and additionally consult your local Retailer for detailed 24MY specifications and do not base an order on website imagery alone. Jaguar Land Rover Limited is constantly seeking ways to improve the specification, design and production of its vehicles, parts and accessories and alterations take place continually, and we reserve the right to change without notice.

# F-TYPE COUPÉ - TECHNICAL SPECIFICATION

<b>FUEL ECONOMY</b>			<b>P300</b>	<b>P450</b>	<b>P575</b>
Fuel tank capacity - useable litres			63	70	70
Gasoline Particulate Filter (GPF)			■	■	■
<b>WLTP*</b>					
Driveline			RWD	RWD	AWD
WLTP Consumption	Low	mpg (l/100km)	22.2 - 20.9 (12.7 - 13.5)	16.1 - 16.3 (17.5 - 17.3)	15.9 - 15.8 (17.8 - 17.9)
	Medium	mpg (l/100km)	30.1 - 29.4 (9.4 - 9.6)	26.4 (10.7)	26.2 - 25.7 (10.8 - 11.0)
	High	mpg (l/100km)	34.9 - 34.4 (8.1 - 8.2)	33.2 - 32.1 (8.5 - 8.8)	32.1 - 31.4 (8.8 - 9.0)
	Extra High	mpg (l/100km)	31.4 - 30.7 (9.0 - 9.2)	31.4 - 30.4 (9.0 - 9.3)	30.7 - 30.4 (9.2 - 9.3)
	Combined	mpg (l/100km)	30.4 - 29.7 (9.3 - 9.5)	27.4 - 26.9 (10.3 - 10.5)	26.6 - 26.4 (10.6 - 10.7)
WLTP CO <sub>2</sub> Emissions	Combined	(g/km)	212 - 218	236 - 240	241 - 244

■ Standard.

\*The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub> and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

## F-TYPE CONVERTIBLE - TECHNICAL SPECIFICATION

<b>POWERTRAIN</b>	<b>P300</b>	<b>P450</b>	<b>P575</b>
Transmission	Automatic	Automatic	Automatic
Driveline: All Wheel Drive (AWD) or Rear Wheel Drive (RWD)	RWD	RWD	AWD
Maximum power (PS/kW/rpm)	300/221/5,500	450/331/6,000	450/331/6,000
Maximum torque (Nm/rpm)	400/1,500-4,500	580/2,500-5,000	580/2,500-5,000
Capacity (cc)	1,997	5,000	5,000
No. of cylinders/Valves per cylinder	4/4	8/4	8/4
Cylinder layout	Inline	Vee	Vee
Bore/stroke (mm)	83/92.3	92.5/93	92.5/93
Compression ratio (:1)	9.5 +/- 0.5	9.5	9.5
<b>PERFORMANCE</b>			
Acceleration (secs) 0-60mph (0-100km/h)	5.6 (5.9)	4.4 (4.6)	4.4 (4.6)
Acceleration (secs) 50-75mph (80-120km/h)	4.0 (4.0)	2.9 (2.9)	3.0 (3.0)
Maximum speed mph (km/h)	155 (250)	177 (285)	177 (285)
<b>WEIGHTS (kg)*</b>			
Unladen weight (EU)**	1,646	1,793	1,865
Unladen weight (DIN)†	1,571	1,718	1,790
Gross Vehicle Weight (GVW)	1,925	2,050	2,150

\*Weights reflect vehicles to standard specifications. Optional extras increase weight. \*\*Includes a 75 kg driver, full fluids and 90% fuel. †Includes full fluids and 90% fuel.

# F-TYPE CONVERTIBLE - TECHNICAL SPECIFICATION

<b>FUEL ECONOMY</b>			<b>P300</b>	<b>P450</b>	<b>P575</b>
Fuel tank capacity - useable litres			63	70	70
Gasoline Particulate Filter (GPF)			■	■	■
<b>WLTP*</b>					
Driveline			RWD	RWD	AWD
WLTP Consumption	Low	mpg (l/100km)	21.9 - 20.8 (12.9 - 13.6)	16.2 - 16.3 (17.4 - 17.3)	15.9 - 15.8 (17.8 - 17.9)
	Medium	mpg (l/100km)	29.7 - 29.4 (9.5 - 9.6)	26.4 (10.7)	25.9 - 25.7 (10.9 - 11.0)
	High	mpg (l/100km)	34.9 - 34.4 (8.1 - 8.2)	32.5 - 32.1 (8.7 - 8.8)	32.1 - 31.7 (8.8 -8.9)
	Extra High	mpg (l/100km)	31.0 - 30.7 (9.1 - 9.2)	30.4 - 30.1 (9.3 - 9.4)	30.7 - 30.4 (9.2 - 9.3)
	Combined	mpg (l/100km)	30.1 - 29.4 (9.4 - 9.6)	27.2 - 26.9 (10.4 - 10.5)	26.6 - 26.4 (10.6 - 10.7)
WLTP CO <sub>2</sub> Emissions	Combined	(g/km)	215 - 219	238 - 240	241 - 243

■ Standard.

\*The figures provided are as a result of official manufacturer's tests in accordance with EU legislation. For comparison purposes only. Real-world figures may differ. CO<sub>2</sub> and fuel economy figures may vary according to factors such as driving styles, environmental conditions, load, wheel fitment and accessories fitted.

# F-TYPE COUPÉ & CONVERTIBLE - DIMENSIONS

**Overall Length** 4,470 mm

**Width** 1,923 mm

at mirrors (folded) 1,885 mm

at mirrors (unfolded) 2,042 mm

**Overall Height**

Coupé 1,311 mm / Convertible 1,307 mm

**Wheelbase** 2,622 mm

**Front Track** 1,583.8 mm

**Rear Track** 1,625.7 mm\*

**Ground Clearance from** 100mm


**Turning Circle** (kerb-to-kerb)

RWD 10.63 m / AWD 11.27 m

**Loadspace Volume**

Coupé Dry\*\* 336 litres / Wet† 509 litres

Convertible Dry\*\* 132 litres / Wet† 233 litres



\*1,610.2 mm on R 75.

\*\*Dry: Volume as measured with VDA-compliant solid blocks (200 mm x 50mm x 100 mm).

†Wet: Volume as measured by simulating the loadspace filled with liquid.

Dimensions were measured with vehicle at unladen weight.